

## SAFETY DATA SHEET

## GlycINATOR™ Immobilized

## SECTION 1: Identification

## 1.1. Product identifier

## ▼ Trade name

GlycINATOR™ Immobilized

## Product no.

A0-GL6-002, A0-GL6-005, A0-GL6-010, A0-GL6-025, A0-GL6-050, A0-GL6-100, A0-GL6-1000, L1-AZ1-025, L1-AZ1-100, L1-AZ1-200, A0-GF6-010, T1-TGF-010, T1-TGA-010, T1-AZ1-001, T1-AZ2-001

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## ▼ Relevant identified uses of the substance or mixture

Antibody deglycosylation reagent  
Restricted to professional and industrial use.

## Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## Company and address

**Genovis AB**Box 4  
244 21 Kävlinge  
Sweden  
+46 (0)46 10 12 30  
www.genovis.com

## E-mail

info@genovis.com

## SDS date

4/19/2026

## SDS Version

2.0

## Date of previous version

5/8/2025 (1.0)

## 1.4. Emergency telephone number

Contact the poison control at 1-800-222-1222 (24/7) or use the webPOISONCONTROL® (triage.webpoisoncontrol.org) to get specific guidance for your case  
See also section 4 "First aid measures".

## SECTION 2: Hazard(s) identification

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

## 2.1. Classification of the substance or mixture

Flam. Liq. 3; H226, Flammable liquid and vapour.

## 2.2. Label elements

## Hazard pictogram(s)



## Signal word

**Warning**

**Hazard statement(s)**

Flammable liquid and vapour. (H226)

**Precautionary statement(s)**

▼ **General**

Not applicable.

**Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)

**Response**

In case of fire: Use water mist/carbon dioxide/alcohol-resistant foam to extinguish. (P370+P378)

**Storage**

Store in a well-ventilated place. Keep cool. (P403+P235)

▼ **Disposal**

Dispose of contents/container in accordance with local regulation. (P501)

**SECTION 3: Composition/Information on Ingredients**

**3.1. Substances**

Not applicable. This product is a mixture.

**3.2. Mixtures**

Product/substance	Identifiers	% w/w	Classification	Note
ethanol;ethyl alcohol	CAS No.: 64-17-5	10-20%	Flam. Liq. 2, H225	

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

**Other information**

-

**SECTION 4: First-aid measures**

**4.1. Description of first aid measures**

**General information**

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

**Inhalation**

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

**Skin contact**

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

**Eye contact**

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

**Ingestion**

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Rinse with water until pain stops then continue to rinse for 30 minutes.

#### 4.2. Most important symptoms and effects, both acute and delayed

None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Flammable liquid and vapour.

In use may form flammable/explosive vapour-air mixture.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO<sub>2</sub>)

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

#### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

#### 7.1. ▼ Precautions for safe handling

Ground and bond container and receiving equipment.

Use explosion-proof electrical/lighting/ventilating equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Take action to prevent static discharges.

Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

##### Recommended storage material

Always store in containers of the same material as the original container.

##### Liquid class

Flammable liquid / Class IC (NFPA 30)

##### Storage conditions

Dry, cool and well ventilated

Refrigerator, 4 to 8°C

Protect from sunlight.

##### Incompatible materials

Acids

Strong oxidizing agents

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

ethanol;ethyl alcohol

Short term exposure limit (STEL) (ACGIH TLV) (ppm): 1000

Long term exposure limit (OSHA Table Z-1) (mg/m<sup>3</sup>): 1900

Long term exposure limit (OSHA Table Z-1) (ppm): 1000

Part 1910 - Occupational Safety and Health Standards (29 CFR 1910.1000 TABLE Z-1 - Limits for Air Contaminants)

#### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

##### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

##### Exposure scenarios

There are no exposure scenarios implemented for this product.

##### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

##### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

##### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

##### Measures to avoid environmental exposure


No specific requirements.

#### Individual protection measures, such as personal protective equipment


##### Generally

Use only protective equipment with a recognized certification mark, e.g. the UL mark.


##### Respiratory Equipment

Work situation	Type	Class	Colour	Standards	
In case of inadequate ventilation	AX		Brown	EN14387	


#### Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	

#### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

#### Eye protection

Work situation	Type	Standards	
When there is risk of splash- / intermittent exposure	Safety glasses	EN166	

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Color

Colourless

#### Odor

Alcohol odor

#### Odor threshold (ppm)

No data available

#### pH

>6-<8

#### Density (g/cm<sup>3</sup>)

No data available.

-

#### Relative density

>1-<1.5

#### Kinematic viscosity

No data available

#### Particle characteristics

No data available

#### Phase changes

##### Melting point/freezing point (°F)

No data available

##### Softening point/range (°F)

Does not apply to liquids.

##### Boiling point (°F)

-

**Boiling point (°C)**

80

**Vapor pressure**

No data available

**Relative vapor density**

No data available

**Decomposition temperature (°F)**

No data available

**Data on fire and explosion hazards****Flash point (°F)**

-

**Flash point (°C)**

&gt;23-&lt;60

**Flammability (°F)**

The material is ignitable.

**Auto-ignition temperature (°F)**

No data available

**Explosion limits (% v/v)**

No data available

**Solubility****Solubility in water**

No data available

**n-octanol/water coefficient (LogKow)**

No data available

**Solubility in fat (g/L)**

No data available

**9.2. Other information****Evaporation rate (n-butylacetate = 100)**

No data available

**Other physical and chemical parameters**

No data available.

**Oxidizing properties**

No data available.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No data available.

**10.2. Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

**10.3. Possibility of hazardous reactions, including those associated with foreseeable emergencies**

None known.

**10.4. Conditions to avoid**

Moisture

Mechanical influences (e.g. Shock, pressure, impact, friction). Fire, sparks or other ignition sources.

Sunlight

**10.5. Incompatible materials**

Acids

Strong oxidizing agents

**10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### ▼ Acute toxicity

Product/substance ethanol;ethyl alcohol  
 Species: Rabbit  
 Route of exposure: Dermal  
 Test: LD50 (24h)  
 Result: >20000 mg/kg

Product/substance ethanol;ethyl alcohol  
 Species: Rat  
 Route of exposure: Inhalation  
 Test: LC50 (4 hours)  
 Result: 124.7 mg/L

Product/substance ethanol;ethyl alcohol  
 Species: Rat  
 Route of exposure: Oral  
 Test: LD50 (24h)  
 Result: 6200 mg/kg

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Long term effects

None known.

#### Other information

None known.

## SECTION 12: Ecological information

### 12.1. ▼ Toxicity

Product/substance ethanol;ethyl alcohol  
 Species: Fish  
 Duration: 96 hours  
 Test: LC50  
 Result: 13480 mg/L

Product/substance ethanol;ethyl alcohol  
 Species: Fish

Duration: 96 hours  
 Test: LC50  
 Result: 13480 mg/L

Product/substance ethanol;ethyl alcohol  
 Species: Daphnia  
 Duration: 48 hours  
 Test: LC50  
 Result: 5400 mg/L

Product/substance ethanol;ethyl alcohol  
 Species: Daphnia  
 Duration: 48 hours  
 Test: EC50  
 Result: 9268 mg/L

Product/substance ethanol;ethyl alcohol  
 Duration: 48 hours  
 Test: LC50  
 Result: 8140 mg/L

Product/substance ethanol;ethyl alcohol  
 Species: Daphnia  
 Duration: 24 hours  
 Test: EC50  
 Result: 10800 mg/L

Product/substance ethanol;ethyl alcohol  
 Species: Algae  
 Duration: 72 hours  
 Test: IC50  
 Result: >10.9 mg/L

Product/substance ethanol;ethyl alcohol  
 Duration: 96 hours  
 Test: LC50  
 Result: 11000 mg/L

Product/substance ethanol;ethyl alcohol  
 Species: Fish  
 Duration: 24 hours  
 Test: LC50  
 Result: 11200 mg/L

Product/substance ethanol;ethyl alcohol  
 Duration: 16 hours  
 Test: IC50  
 Result: 6500 mg/L

Based on available data, the classification criteria are not met.

**12.2. Persistence and degradability**

Based on available data, the classification criteria are not met.

**12.3. Bioaccumulative potential**

Based on available data, the classification criteria are not met.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

## 12.6. Other adverse effects

None known.

### SECTION 13: Disposal considerations

#### RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)




None of the components are listed

#### Specific labelling

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es) Label: 3 Classification code: F1	14.4 PG*	14.5 Env**	Other information:
DOT	UN1993	FLAMMABLE LIQUID, N.O.S. (ethanol;ethyl alcohol)	Transport hazard class: 3 Label: 3 Classification code: F1 	III	No	Limited quantities: 5 L Tunnel restriction code: (D/E) See below for additional information.
IMDG	UN1993	FLAMMABLE LIQUID, N.O.S. (ethanol;ethyl alcohol)	Transport hazard class: 3 Label: 3 Classification code: F1 	III	No	Limited quantities: 5 L EmS: F-E S-E See below for additional information.
IATA	UN1993	FLAMMABLE LIQUID, N.O.S. (ethanol;ethyl alcohol)	Transport hazard class: 3 Label: 3 Classification code: F1 	III	No	See below for additional information.

\* Packing group

\*\* Environmental hazards

#### Additional information

This product is within scope of the regulations of transport of dangerous goods.

DOT / See § 172.101 Hazardous Materials Table for any information on special provisions, requirements, or warnings in connection with transport. See § 172.602, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to IMO instruments

No data available.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. U.S. Federal regulations

TSCA (the non-confidential portion)

ethanol;ethyl alcohol is listed

#### Clean Air Act

None of the components are listed

#### EPCRA Section 302

None of the components are listed

#### EPCRA Section 304

None of the components are listed

#### EPCRA section 313

None of the components are listed

#### CERCLA

None of the components are listed

#### Hazardous chemical inventory reporting

### 15.3. State regulations

#### California / Prop. 65

None of the components are listed

#### Massachusetts / Right To Know Act

ethanol;ethyl alcohol is listed

#### New Jersey / Right To Know Act

ethanol;ethyl alcohol / Substance number: 0844

ethanol;ethyl alcohol is on the Special Health Hazard Substance List

—

#### New York / Right To Know Act

ethanol;ethyl alcohol is listed

ethanol;ethyl alcohol is regulated with a Treshold Reporting Quantity (TRQ) of: 0 pounds

—

#### Pennsylvania / Right To Know Act

ethanol;ethyl alcohol is listed

—

### 15.4. Restrictions for application

Restricted to professional users.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

### 15.5. Demands for specific education

No specific requirements.

### 15.6. Additional information

Not applicable.

### 15.7. Chemical safety assessment

No

### 15.8. Sources

OSHA Hazard Communication Standard (29 CFR 1910.1200)

## SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.

### The full text of identified uses as mentioned in section 1

None known.

### Abbreviations and acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CERCLA = Comprehensive Environmental Response Compensation and Liability Act  
DOT = Department of Transportation  
EINECS = European Inventory of Existing Commercial chemical Substances  
EPCRA = Emergency Planning and Community Right-To-Know Act  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
HCIS = Hazardous Chemical Information System  
HNOC = Hazards Not Otherwise Classified  
IARC = International Agency for Research on Cancer  
IATA = International Air Transport Association  
IMDG = International Maritime Dangerous Goods  
LogKow = logarithm of the n-octanol/water coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NFPA = National Fire Protection Association  
NIOSH = National Institute for Occupational Safety and Health  
OECD = Organisation for Economic Co-operation and Development  
OSHA = Occupational Safety and Health Administration  
PBT = Persistent, Bioaccumulative and Toxic  
RCRA = Resource Conservation and Recovery Act  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SARA = Superfund Amendments and Reauthorization Act  
SCL = A specific concentration limit.  
STEL = Short-term exposure limits  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TSCA = The Toxic Substances Control Act  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the mixture in regard to physical hazards has been based on experimental data.

#### The safety data sheet is validated by

Stephan Björk

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en